



DVGW type examination certificate

DVGW-Baumusterprüfzertifikat

DW-8511DR0257

Registration Number
Registriernummer

Field of Application <i>Anwendungsbereich</i>	products of water supply <i>Produkte der Wasserversorgung</i>
Owner of Certificate <i>Zertifikatinhaber</i>	Zhejiang Homebase Intelligent Technology Co., Ltd. Yuhuan, Industrial Park, Qinggang Town, CN- Zhejiang Province
Distributor <i>Vertreiber</i>	Zhejiang Homebase Intelligent Technology Co., Ltd. Yuhuan, Industrial Park, Qinggang Town, CN- Zhejiang Province
Product Category <i>Produktart</i>	Installation systems and system joints (PN 10): pipe joint for pipes in drinking water installation systems (8511)
Product description <i>Produktbezeichnung</i>	system connector as compressing connector made of stainless steel (material: 1.4404) for pipes made of stainless steel according to DVGW-working sheet GW 541, leak before pressed
Model <i>Modell</i>	Zhejiang Homebase SS-Press System
Test reports <i>Prüfberichte</i>	Type testing: 20260518 from 18.05.2026 (TTR)
Test basis <i>Prüfgrundlagen</i>	DVGW CERT ZP 8500 (23.05.2022) DVGW W 534-(P) (01.07.2015)

70028-04 A-DE

Date of Expiry / File No. 18.05.2031 / 25-0708-WNE
Ablaufdatum / Aktenzeichen

21.05.2026 Swd A-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

G. Schmidt



DVGW CERT GmbH
Josef-Wirmer-Str. 1-3
53123 Bonn
Tel. +49 228 9188-888
info@dvgw-cert.com
www.dvgw-cert.com



CS 扫描全能王
3亿人都在用的扫描App

Type Typ	Technical Data Technische Daten	Remarks Bemerkungen
Zhejiang Homebase SS-Press	Diameter: 15 mm	
System		
Zhejiang Homebase SS-Press	Diameter: 18 mm	
System		
Zhejiang Homebase SS-Press	Diameter: 22 mm	
System		
Zhejiang Homebase SS-Press	Diameter: 28 mm	
System		
Zhejiang Homebase SS-Press	Diameter: 35 mm	
System		
Zhejiang Homebase SS-Press	Diameter: 42 mm	
System		
Zhejiang Homebase SS-Press	Diameter: 54 mm	
System		
Zhejiang Homebase SS-Press	Diameter: 76,1 mm	
System		
Zhejiang Homebase SS-Press	Diameter: 88,9 mm	
System		
Zhejiang Homebase SS-Press	Diameter: 108 mm	
System		

Hints of Utilization / Remarks

Verwendungshinweise / Bemerkungen

Pipes to be used: Stainless steel pipes in accordance with DVGW Worksheet GW 541.

Press contours: V and M

Suitability for drinking water hygiene is verified with a "Hygiene confirmation of conformity" in accordance with the currently valid legal basis

DVGW
CERT





DVGW-Baumusterprüfzertifikat

DVGW type examination certificate

DW-8511DR0257

Registriernummer
registration number

Anwendungsbereich <i>field of application</i>	Produkte der Wasserversorgung <i>products of water supply</i>
Zertifikatinhaber <i>owner of certificate</i>	Zhejiang Homebase Intelligent Technology Co., Ltd. Yuhuan, Industrial Park, Qinggang Town, CN- Zhejiang Province
Vertreiber <i>distributor</i>	Zhejiang Homebase Intelligent Technology Co., Ltd. Yuhuan, Industrial Park, Qinggang Town, CN- Zhejiang Province
Produktart <i>product category</i>	Installationssysteme und Systemverbinder (PN 10): Rohrverbinder für Trinkwasserinstallationssysteme (8511)
Produktbezeichnung <i>product description</i>	Systemverbinder als Pressverbinder aus nichtrostendem Stahl (Werkstoff: 1.4404) für Rohre aus nichtrostendem Stahl gemäß DVGW-Arbeitsblatt GW 541, unverpresst undicht
Modell <i>model</i>	Zhejiang Homebase SS-Press System
Prüfberichte <i>test reports</i>	Baumusterprüfung: 20260518 vom 18.05.2026 (TTR)
Prüfgrundlagen <i>test basis</i>	DVGW CERT ZP 8500 (23.05.2022) DVGW W 534-(P) (01.07.2015)

70028-04 A-DE

Ablaufdatum / AZ
date of expiry / file no. 18.05.2031 / 25-0708-WNE

21.05.2026 Swd A-1/2

Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle
date, issued by, sheet, head of certification body

G. Schmidt



DVGW CERT GmbH
Josef-Wirmer-Str. 1-3
53123 Bonn
Tel. +49 228 9188-888
info@dvwg-cert.com
www.dvlgw-cert.com



CS 扫描全能王
3亿人都在用的扫描App

Typ type	Technische Daten technical data	Bemerkungen remarks
Zhejiang Homebase SS-Press	Durchmesser: 15 mm	
System		
Zhejiang Homebase SS-Press	Durchmesser: 18 mm	
System		
Zhejiang Homebase SS-Press	Durchmesser: 22 mm	
System		
Zhejiang Homebase SS-Press	Durchmesser: 28 mm	
System		
Zhejiang Homebase SS-Press	Durchmesser: 35 mm	
System		
Zhejiang Homebase SS-Press	Durchmesser: 42 mm	
System		
Zhejiang Homebase SS-Press	Durchmesser: 54 mm	
System		
Zhejiang Homebase SS-Press	Durchmesser: 76,1 mm	
System		
Zhejiang Homebase SS-Press	Durchmesser: 88,9 mm	
System		
Zhejiang Homebase SS-Press	Durchmesser: 108 mm	
System		

Verwendungshinweise / Bemerkungen**hints of utilization / remarks**

Zu verwendende Rohre: Rohren aus nichtrostendem Stahl gemäß DVGW-Arbeitsblatt GW 541.
Presskonturen: V und M

Die trinkwasserhygienische Eignung ist durch „Konformitätsbestätigung Hygiene“ gem. der aktuell gültigen Rechtsgrundlage nachgewiesen

DVGW
CERT





DVGW type examination certificate

DVGW-Baumusterprüfzertifikat

DW-7301DR0256

Registration Number
Registriernummer

Field of Application <i>Anwendungsbereich</i>	products of water supply <i>Produkte der Wasserversorgung</i>
Owner of Certificate <i>Zertifikatinhaber</i>	Zhejiang Homebase Intelligent Technology Co., Ltd. Yuhuan, Industrial Park, Qinggang Town, CN- Zhejiang Province
Distributor <i>Vertreiber</i>	Zhejiang Homebase Intelligent Technology Co., Ltd. Yuhuan, Industrial Park, Qinggang Town, CN- Zhejiang Province
Product Category <i>Produktart</i>	Stainless tubes: Stainless steel tube (7301)
Product description <i>Produktbezeichnung</i>	pipes made of stainless steel (1.4404) for the drinking water installation
Model <i>Modell</i>	Zhejiang Homebase stainless steel pipe
Test reports <i>Prüfberichte</i>	Type testing: 20260518 from 18.05.2026 (TTR)
Test basis <i>Prüfgrundlagen</i>	DVGW GW 541 (01.10.2004)

70028 04-A-DE

Date of Expiry / File No. 18.05.2031 / 25-0708-WNE
Ablaufdatum / Aktenzeichen

21.05.2026 Swd A-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

G. Schmidt



DVGW CERT GmbH
Josef-Wirmer-Str. 1-3
53123 Bonn
Tel. +49 228 9188-888
info@dvw-cert.com
www.dvw-cert.com



CS 扫描全能王
3亿人都在用的扫描App

Type Typ	Technical Data Technische Daten	Remarks Bemerkungen
Zhejiang Homebase stainless Manufacturing group: 15 mm - 108 mm steel pipe		

Hints of Utilization / Remarks**Verwendungshinweise / Bemerkungen**

Tested dimensions in accordance with DVGW GW 541, Table 3:

15,0 mm; 18,0 mm; 22,0 mm; 28,0 mm; 35,0 mm; 42,0 mm; 54,0 mm; 76,1 mm; 88,9 mm; 108 mm

Suitability for drinking water hygiene is verified with a "Hygiene confirmation of conformity" in accordance with the currently valid legal basis

DVGW
CERT





DVGW-Baumusterprüfzertifikat

DVGW type examination certificate

DW-7301DR0256

Registriernummer
registration number

Anwendungsbereich <i>field of application</i>	Produkte der Wasserversorgung <i>products of water supply</i>
Zertifikatinhaber <i>owner of certificate</i>	Zhejiang Homebase Intelligent Technology Co., Ltd. Yuhuan, Industrial Park, Qinggang Town, CN- Zhejiang Province
Vertreiber <i>distributor</i>	Zhejiang Homebase Intelligent Technology Co., Ltd. Yuhuan, Industrial Park, Qinggang Town, CN- Zhejiang Province
Produktart <i>product category</i>	Nichtrostende Rohre: Rohr aus nichtrostendem Stahl (7301)
Produktbezeichnung <i>product description</i>	Rohre aus nichtrostendem Stahl für die Trinkwasserinstallation, Werkstoff: 1.4404
Modell <i>model</i>	Zhejiang Homebase stainless steel pipe
Prüfberichte <i>test reports</i>	Baumusterprüfung: 20260518 vom 18.05.2026 (TTR)
Prüfgrundlagen <i>test basis</i>	DVGW GW 541 (01.10.2004)
Ablaufdatum / AZ <i>date of expiry / file no.</i>	18.05.2031 / 25-0708-WNE

70028-04-A-DE

21.05.2026 Swd A-1/2

Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle
date, issued by, sheet, head of certification body

G. Schmidt



DVGW CERT GmbH
Josef-Wirmer-Str. 1-3
53123 Bonn
Tel. +49 228 9188-888
info@dvwg-cert.com
www.dvlgw-cert.com



CS 扫描全能王
3亿人都在用的扫描App

Typ type	Technische Daten technical data	Bemerkungen remarks
Zhejiang Homebase stainless Fertigungsgruppe: 15 mm - 108 mm steel pipe		

Verwendungshinweise / Bemerkungen**hints of utilization / remarks**

geprüfte Abmessungen gemäß GW 541, Tabelle 3:

15,0 mm; 18,0 mm; 22,0 mm; 28,0 mm; 35,0 mm; 42,0 mm; 54,0 mm; 76,1 mm; 88,9 mm; 108 mm

Die trinkwasserhygienische Eignung ist durch „Konformitätsbestätigung Hygiene“ gem. der aktuell gültigen Rechtsgrundlage nachgewiesen

DVGW
CERT

